

EAST 6/4/04

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| - | 973 | optimizing near3 compiler | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/04 09:04 |
| - | 39 | (optimizing near3 compiler) and (two near3 target) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 10:38 |
| - | 41 | hypothetical adj machine | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 10:39 |
| - | 26 | (hypothetical adj machine) and (optimis\$6 or compil\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 12:24 |
| - | 2872 | target adj (machine or processor or architecture) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 12:34 |
| - | 362 | (two or one or multiple or plural or many or more) near3 (target adj (machine or processor or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 12:36 |
| - | 235 | (two or multiple or plural or many or more) near3 (target adj (machine or processor or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 12:36 |
| - | 35 | ((two or multiple or plural or many or more) near3 (target adj (machine or processor or architecture))) same compil\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 12:55 |
| - | 24 | backend near3 target | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 13:11 |
| - | 1015 | compil\$5 near3 target | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 13:45 |
| - | 66 | compil\$5 near3 retarget\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 15:06 |
| - | 154 | abstract adj machine | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 14:16 |
| - | 0 | (abstract adj machine) near3 recompile\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 14:16 |
| - | 18 | (abstract adj machine) near3 compil\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/17 14:22 |

Search History 6/4/04 4:01:10 PM Page 1
C:\APPS\east\workspaces\09 823207 p6.wsp

| | | | |
|-------|---|---|------------------|
| 250 | (instruction adj schedul\$4) same optimi\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 14:23 |
| 134 | (instruction adj schedul\$4) same optimi\$6 same compil\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 14:23 |
| 1 | ((instruction adj schedul\$4) near3 rule) same optimi\$6 same compil\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 14:24 |
| 8 | ((instruction adj schedul\$4) near3 rule) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 14:24 |
| 30 | (compil\$5 near3 retarget\$5) and ((abstract or hypothetical or generic or virtual) near3 (machine or processor or architecture or target)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 15:18 |
| 2 | {"6629312"}.PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 15:25 |
| 1374 | ((produs\$4 or generat\$4 or mak\$4 or creat\$4) near3 (generic or abstract or hypothetical or general)) near3 (machine or processor or architecture or target) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 16:28 |
| 1510 | (produs\$4 or generat\$4 or mak\$4 or creat\$4) near3 ((generic or abstract or hypothetical or general) near3 (machine or processor or architecture or target)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 16:28 |
| 216 | 717/146.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 16:30 |
| 192 | (produs\$4 or generat\$4 or mak\$4 or creat\$4) near3 ((generic or abstract or hypothetical or general) adj (machine or processor or architecture or target)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 16:41 |
| 59 | 717/147.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 17:19 |
| 21 | UCSD Adj Pascal | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/17 17:57 |
| 82 | JVM adj implementation | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/18 09:46 |
| 22216 | model\$5 near3 (architecture or machine or \$5processor) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USPAT; | 2004/05/18 09:51 |

Search History 6/4/04 4:01:10 PM Page 2
C:\APPS\east\workspaces\09 B23207 p6.wsp

| | | | |
|-------|--|---|------------------|
| 14891 | model\$5 near3 (architecture or machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 09:52 |
| 50 | model\$5 near3 (architecture or machine) near3 abstract\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 09:58 |
| 828 | abstract\$4 near3 machine | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 10:01 |
| 11 | Abstracting near3 machine | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 10:07 |
| 7 | Abstracting near3 scheduling | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 10:09 |
| 8936 | machine near2 model\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:04 |
| 2253 | optimiz\$4 near3 target | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 10:13 |
| 756 | (machine near2 model\$4) near3 (generat\$4 or mak\$4 or creat\$4 or abstract\$4 or produc\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:07 |
| 576 | (machine near2 model\$4) near2 (generat\$4 or mak\$4 or creat\$4 or abstract\$4 or produc\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:10 |
| 830 | (compil\$45 or (code adj generat\$5)) and (machine near2 model\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:11 |
| 90 | (compil\$45 or (code adj generat\$5)) and (machine near2 model\$4) near3 (generat\$4 or mak\$4 or abstract\$4 or creat\$4 or produc\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:37 |
| 1646 | instruction adj schedul\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:38 |
| 2 | (instruction adj schedul\$4) near3 abstract\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:38 |
| 3 | (instruction adj schedul\$4) same (two near3 machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:40 |

| | | | |
|-----|---|---|------------------|
| 10 | (instruction adj schedul\$4) same ((abstract or generic or model\$4 or hypothetical) near3 machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:03 |
| 4 | (instruction adj schedul\$4) same ((virtual) near3 machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 12:43 |
| 14 | ("5442790" "5485619" "5535393" "5790859" "5805863" "5809308" "5842022" "5862384" "5867711" "5910900" "5920724" "5930507" "5940620" "5956498").PN. | USPAT | 2004/05/18 12:48 |
| 1 | 6226790.URPN. | USPAT | 2004/05/18 13:02 |
| 167 | (creat\$4) near3 ((abstract or generic or model\$4 or hypothetical) near3 machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:04 |
| 27 | (creat\$4) near2 ((abstract or generic or model\$4 or hypothetical) adj machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:04 |
| 11 | backend same ((one or single) near3 model) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:18 |
| 0 | (backend near3 optimiz\$5) same ((two or plural or multiple) near3 model) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:13 |
| 1 | (backend near3 optimiz\$5) same ((two or plural or multiple) near3 (machine or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:14 |
| 99 | ((one or single or global or universal or total or primary) near3 model) same ((two or plural or multiple) near3 (machine or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:16 |
| 3 | ((one or single or global or universal or total or primary) near3 model) same ((two or plural or multiple) near3 (machine or architecture)) same (compil\$45) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:16 |
| 0 | backend same ((universal or global or total or main or primary) near3 model) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/05/18 13:19 |
| 1 | backend same ((universal or global or total or main or primary) near3 (machine or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:20 |
| 109 | (compil\$45) same ((universal or global or total or main or primary) near3 (machine or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:20 |
| 5 | (optimiz\$5 near3 compil\$45) same ((universal or global or total or main or primary) near3 (machine or architecture)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/18 13:21 |

Best Available Conv

| | | | |
|-----|---|-------|------------------|
| 9 | (*515199*) *5200613* *5339415* *542727* *5503315* *6151706* *6182284* *6253370* *6301704*.PN. | USPAT | 2004/05/18 13:32 |
| 0 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 (bas\$4 or deriv\$4 or generat\$4) | USPAT | 2004/05/18 14:02 |
| 545 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 (bas\$4 or deriv\$4 or generat\$4) | USPAT | 2004/05/21 16:11 |
| 193 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 (bas\$4 or deriv\$4 or generat\$4) | USPAT | 2004/05/21 16:11 |
| 0 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 ((bas\$4 or deriv\$4 or generat\$4) near3 from) | USPAT | 2004/05/21 16:11 |
| 0 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 ((bas\$4 or deriv\$4 or generat\$4) near3 from) | USPAT | 2004/05/21 16:12 |
| 0 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 ((bas\$4 or deriv\$4 or generat\$4) near3 from) | USPAT | 2004/05/21 16:12 |
| 17 | ((virtual or abstract or hypothetical) near3 (machine or target)) adj3 ((bas\$4 or deriv\$4 or generat\$4) near3 (two or plural\$4 or multi\$6 or many or several)) | USPAT | 2004/05/21 16:30 |
| 1 | (abstract adj machine) near3 develop\$6 | USPAT | 2004/05/21 16:30 |
| 4 | (abstract adj machine) near3 (creat\$4) | USPAT | 2004/05/21 16:35 |
| 2 | (*6263332*).PN. | USPAT | 2004/05/21 16:33 |
| 0 | (abstract adj machine) near3 (deriv\$4) | USPAT | 2004/05/21 16:35 |
| 5 | (abstract adj machine) near3 (generat\$4) | USPAT | 2004/05/21 16:35 |
| 156 | abstract adj machine | USPAT | 2004/05/21 16:36 |
| 75 | (multiple or plural or many or several) near3 (processor or target or architecture) near3 (compiler or back\$blend) | USPAT | 2004/05/21 17:17 |

Search History 6/4/04 4:01:10 PM Page 5
C:\APPS\east\workspaces\09 823207 p6.wsp

| | | | |
|-----|---|-------|------------------|
| 13 | (*4*) *4853872* *5339422* *5420627* *5446809* *5516506* *5604987* *5634114* *5671431* *5675803* *5701142* *5732275* *5774728*.PN. | USPAT | 2004/05/21 17:04 |
| 3 | 5920721.URPN. | USPAT | 2004/05/21 17:11 |
| 0 | (abstract adj machine) and (GNU adj compiler) | USPAT | 2004/05/21 17:17 |
| 19 | GNU adj compiler | USPAT | 2004/05/21 17:19 |
| 57 | retarget\$5 near3 compiler | USPAT | 2004/05/21 17:20 |
| 7 | (retarget\$5 near3 compiler) and (abstract adj machine) | USPAT | 2004/05/21 17:20 |
| 1 | optimizing near3 (generic adj machine) | USPAT | 2004/05/25 12:18 |
| 2 | compil\$4 same (generic adj machine) | USPAT | 2004/05/25 12:20 |
| 834 | schedul\$4 near3 rule | USPAT | 2004/05/25 12:21 |
| 68 | (schedul\$4 near3 rule) near3 (two or plural\$4 or multi\$6 or many or several or one) | USPAT | 2004/05/25 12:35 |
| 3 | ((deriv\$4 or acquir\$4 or abstract\$4) near3 rule) same (target adj machine) | USPAT | 2004/05/25 12:38 |
| 125 | (generat\$4 or deriv\$4 or produc\$4) near3 ((target or abstract or hypothetical) adj machine) | USPAT | 2004/05/25 12:50 |
| 94 | (generat\$4 or deriv\$4 or produc\$4) adj3 ((target or abstract or hypothetical) adj machine) | USPAT | 2004/05/25 12:51 |
| 62 | (generat\$4 or deriv\$4 or produc\$4) adj2 ((target or abstract or hypothetical) adj machine) | USPAT | 2004/05/25 12:52 |
| 767 | (model\$4 or emulat\$4 or simulat\$4) near3 (target or generic or virtual or abstract or hypothetical) near3 machine | USPAT | 2004/05/25 16:42 |

Search History 6/4/04 4:01:10 PM Page 6
C:\APPS\east\workspaces\09 823207 p6.wsp

| | | | |
|------|---|-------|------------------|
| 170 | ((model\$4 or emulat\$4 or simulat\$4) adj3 (target or generic or virtual or abstract or hypothetical) adj machine) | USPAT | 2004/05/25 16:19 |
| 557 | ((model\$4 or emulat\$4 or simulat\$4) near3 (target or generic or virtual or abstract or hypothetical) near3 machine) and ((plural\$4 or multipli\$4 or several or many or two or one) near3 (machine or target or architecture or processor)) | USPAT | 2004/05/25 16:21 |
| 453 | ((model\$4 or emulat\$4 or simulat\$4) near3 (target or generic or virtual or abstract or hypothetical) near3 machine) and ((plural\$4 or multipli\$4 or several or many or two or one) near3 (machine or target or architecture or processor)) | USPAT | 2004/05/25 16:23 |
| 217 | ((model\$4 or emulat\$4 or simulat\$4) near3 (target or generic or virtual or abstract or hypothetical) near3 machine) and ((plural\$4 or multipli\$4 or several or many or two or one) adj3 (machine or target or architecture or processor)) | USPAT | 2004/05/25 16:26 |
| 209 | ((model\$4 or emulat\$4 or simulat\$4) near3 (target or generic or virtual or abstract or hypothetical) near3 machine) and ((plural\$4 or multipli\$4 or several or many or two or one) adj3 (machine or target or architecture or processor)) | USPAT | 2004/05/25 16:29 |
| 2 | (*62323202*).PN. | USPAT | 2004/05/25 16:39 |
| 1 | two adj processor adj emulat\$4 | USPAT | 2004/05/25 16:39 |
| 6027 | (generic or abstract or hypothetical or virtual) near3 (emulator or simulator or model) | USPAT | 2004/05/25 16:43 |
| 2876 | (generic or abstract or hypothetical) near3 (emulator or simulator or model) | USPAT | 2004/05/25 16:43 |
| 109 | (generic or abstract or hypothetical) near3 (emulator or simulator) | USPAT | 2004/05/25 16:49 |
| 1 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model) same (two adj) machine) | USPAT | 2004/05/25 17:03 |
| 12 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model)) near3 extract\$4 | USPAT | 2004/05/25 17:07 |
| 113 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model)) same processor | USPAT | 2004/05/25 17:08 |

Search History 6/4/04 4:01:10 PM Page 7
C:\APPS\east\workspaces\09 823207 p6.wsp

| | | | |
|------|---|-------|------------------|
| 32 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model)) same processor and (generat\$4 or extract\$4 or deriv\$4) near3 (plural\$4 or multiple or several or two) | USPAT | 2004/05/25 17:37 |
| 28 | (*4397021* *4554636* *4575792* *6333466* *4802164* *4839895* *4933941* *5091846* *5210757* *5274797* *5319766* *5323401* *5341382* *5355369* *5355471* *5404489* *5406504* *5408629* *5414821* *5430850* *5434805* *54597456* *551334* *5524208* *5542043* *5557774* *5600787*).PN. | USPAT | 2004/05/25 17:19 |
| 18 | 0 (((generic or abstract or hypothetical) near3 (emulator or simulator or model)) same processor) near3 (generat\$4 or extract\$4 or deriv\$4) same (plural\$4 or multiple or several or two) near3 (machine or processor or architecture or processor or architecture)) | USPAT | 2004/05/25 17:30 |
| 1 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model)) near3 (generat\$4 or extract\$4 or deriv\$4) same (plural\$4 or multiple or several or two) near3 (machine or processor or architecture or processor or architecture)) | USPAT | 2004/05/25 17:41 |
| 25 | ((generic or abstract or hypothetical) near3 (emulator or simulator or model)) near3 (generat\$4 or extract\$4 or deriv\$4) and ((plural\$4 or multiple or several or two) near3 (machine or processor or architecture or processor or architecture)) | USPAT | 2004/05/25 17:53 |
| 4678 | (combin\$4 or merg\$4) near3 model | USPAT | 2004/05/25 17:53 |
| 68 | (combin\$4 or merg\$4) near3 model near3 (machine or processor or architecture) | USPAT | 2004/05/26 09:31 |
| 200 | multi\$5 near3 emulator | USPAT | 2004/05/26 09:33 |
| 3 | (processor or architecture or machine) near2 (non\$1specific or indifferent or generic) near3 (emulator or simulator) | USPAT | 2004/05/26 09:37 |
| 0 | (processor or architecture or machine) near2 (umbrella or overarching or encompassing) near3 (model) | USPAT | 2004/05/26 09:37 |
| 22 | (processor or architecture or machine) near2 (non\$1specific or indifferent or generic) near3 (model) | USPAT | 2004/05/26 10:12 |
| 6 | abstracting adj model | USPAT | 2004/05/26 10:14 |

Search History 6/4/04 4:01:10 PM Page 8
C:\APPS\east\workspaces\09 823207 p6.wsp

| | | | |
|-----|--|---|------------------|
| 15 | two adj2 (processor or architecture) model | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 10:15 |
| 2 | (*5889990*).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:32 |
| 1 | rule near3 HAL | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:39 |
| 4 | optimiz\$4 near3 HAL | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:40 |
| 0 | optimiz\$4 same (hardware adj abstraction adj layer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:40 |
| 89 | design\$4 near3 HAL | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:55 |
| 2 | 506433.ap. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:52 |
| 440 | hardware adj abstraction adj layer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:56 |
| 440 | (hardware adj abstraction adj layer) near3 (design\$4 or model\$4 or deriv\$4 or produc\$4 or abstract\$4 or generat\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:57 |
| 440 | (hardware adj abstraction adj layer) near3 (design\$4 or model\$4 or deriv\$4 or produc\$4 or abstract\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:57 |
| 440 | (hardware adj abstraction adj layer) near3 (design\$4 or model\$4 or deriv\$4 or abstract\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:57 |
| 8 | (hardware adj abstraction adj layer) near3 (design\$4 or model\$4 or deriv\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:58 |
| 8 | (hardware adj abstraction adj layer) near3 (design\$4 or model\$4 or deriv\$4 or produc\$4 or generat\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/26 17:58 |
| 141 | 703/20.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:26 |

| | | | |
|------|---|---|------------------|
| 10 | (*4135462* *4893267* *5293333* *5863983* *5613098* *5292005* *5768593* *6011872* *6173247*).PN. | USPAT | 2004/06/04 09:09 |
| 5 | (*5771370* *5805867* *5978584* *6014512* *6356862*).PN. | USPAT | 2004/06/04 09:29 |
| 7 | (*6634024* or (*6678769*).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:29 |
| 1215 | processor adj model | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:42 |
| 78 | (processor adj model) near3 (multiple or plural or two or one) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:04 |
| 8 | rule near3 (instruction adj schedul\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:04 |
| 1660 | instruction adj schedul\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:04 |
| 34 | (instruction adj schedul\$4) same rule | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:04 |

Search History 6/4/04 4:01:10 PM Page 9
C:\APPS\east\workspaces\09 823207 p6.wsp

Search History 6/4/04 4:01:10 PM Page 10
C:\APPS\east\workspaces\09 823207 p6.wsp